


HEARTSONG

QUILT 2



Tiffany Version



Black Version

Featuring fabrics from the **Heartsong** collection from **STUDIO·e·fabrics**

Fabric Requirements

Tiffany Version

- (A) 3119-11 ¾ yard
- (B) 3118-90 ¾ yard
- (C) 3120-91 ⅝ yard
- (D) Carbon-23** ¼ yard
- (E) 3121-90 ⅔ yard*
- Backing
3120-11 3 yards

Black Version

- (A) 3119-99 ¾ yard
- (B) 3118-90 ¼ yard
- (C) Carbon-23** ⅝ yard
- (D) 3121-99 ¼ yard
- (E) 3121-90 ⅔ yard*
- (F) 3118-99 ⅔ yard
- Backing
3120-90 3 yards

Additional Supplies Needed

- Batting 51" x 51"
- Piecing and sewing thread
- Quilting and sewing supplies
- Quilt designed by Megan Downer
- Finished Quilt Size 43" x 43"

* Includes Binding

** Peppered Cottons Collection

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge.

WOF= Width of Fabric • LOF = Length of Fabric

Tiffany Version

Fabric A (3119-11 Butterfly Blocks – Tiffany), cut:

- Fussy cut (1) 23" x 23" square.

Fabric B (3118-90 Tossed Hearts – Steel), cut:

- (2) 1 ½" x 27 ½" WOF strips.
- (2) 1 ½" x 25 ½" WOF strips.
- (2) 4 ½" x 41 ½" WOF strips.
- (2) 4 ½" x 33 ½" WOF strips.

Fabric C (3120-91 Lace – Black/Tiffany), cut:

- (5) 1 ½" x WOF strips. Sew the strips together end to end, with diagonal seams, and cut (2) 1 ½" x 43 ½" strips and (2) 1 ½" x 41 ½" strips.
- (2) 2 ½" x 31 ½" WOF strips.
- (2) 2 ½" x 27 ½" WOF strips.

Fabric D (Carbon-23 Peppered Cottons – Carbon), cut:

- (2) 1 ½" x 33 ½" WOF strips.
- (2) 1 ½" x 31 ½" WOF strips.

Fabric E (3121-90 Pin Stripe – Steel), cut:

- (2) 1 ¾" x 25 ½" WOF strips.
- (2) 1 ¾" x 23" WOF strips.
- (5) 2 ½" x WOF strips for the binding.

Backing (3120-11 Lace – Tiffany), cut:

- (2) 51" x WOF strips. Sew the strips together and trim to 51" x 51" for the back.

Black Version

Fabric A (3119-99 Butterfly Blocks – Black), cut:

- Fussy cut (1) 23" x 23" square.

Fabric B (3118-90 Tossed Hearts – Steel), cut:

- (2) 1 ½" x 27 ½" WOF strips.
- (2) 1 ½" x 25 ½" WOF strips.

Fabric C (Carbon-23 Peppered Cottons - Carbon), cut:

- (5) 1 ½" x WOF strips. Sew the strips together end to end, with diagonal seams, and cut (2) 1 ½" x 43 ½" strips and (2) 1 ½" x 41 ½" strips.
- (2) 2 ½" x 31 ½" WOF strips.
- (2) 2 ½" x 27 ½" WOF strips.

Fabric D (3121-99 Pinstripe – White/Black), cut:

- (2) 1 ½" x 33 ½" WOF strips.
- (2) 1 ½" x 31 ½" WOF strips.

Fabric E (3121-90 Pin Stripe – Steel), cut:

- (2) 1 ¾" x 25 ½" WOF strips.
- (2) 1 ¾" x 23" WOF strips.
- (5) 2 ½" x WOF strips for the binding.

Cutting - Continued

Fabric F (3118-99 Tossed Hearts – Black), cut:

- (2) 4 ½" x 41 ½" WOF strips.
- (2) 4 ½" x 33 ½" WOF strips.

Backing (3120-90 Lace – Steel), cut:

- (2) 51" x WOF strips. Sew the strips together and trim to 51" x 51" for the back.

Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)


1. Sew (1) 1 ¾" x 23" Fabric E strip to each side of the 23" Fabric A square. Sew (1) 1 ¾" x 25 ½" Fabric E strip to the top and to the bottom of the Fabric A square to make the Center Block.
2. Sew (1) 1 ½" x 25 ½" Fabric B strip to each side of the Center Block. Sew (1) 1 ½" x 27 ½" Fabric B strip to the top and to the bottom of the Center Block.
3. Sew (1) 2 ½" x 27 ½" Fabric C strip to each side of the Center Block. Sew (1) 2 ½" x 31 ½" Fabric C strip to the top and to the bottom of the Center Block.
4. Sew (1) 1 ½" x 31 ½" Fabric D strip to each side of the Center Block. Sew (1) 1 ½" x 33 ½" Fabric D strip to the top and to the bottom of the Center Block.
5. Sew (1) 4 ½" x 33 ½" Fabric B strip to each side of the Center Block (Fabric B for the Tiffany version or Fabric F for the Black version). Sew (1) 4 ½" x 41 ½" Fabric B strip to the top and to the bottom of the Center Block (Fabric B for the Tiffany version or Fabric F for the Black version).
6. Sew (1) 1 ½" x 41 ½" Fabric C strip to each side of the Center Block. Sew (1) 1 ½" x 43 ½" Fabric C strip to the top and to the bottom of the Center Block to make the quilt top.

Layering, Quilting and Finishing

7. Press the quilt top and 51" x 51" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

8. Cut the ends of the (5) Fabric E binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
9. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout